



**Notes:**

- Please refer to all relevant method statements for preparation and application information.
- All construction joints must have Hydroswell BentoSteel installed over the top of Hydroswell BentoStrip.

**Legend:**

- ① — Xypex Concentrate Slurry
- ② — Hydroswell BentoStrip
- ③ — BentoGuard Membrane
- ④ — BentoGuard Grain or Putty 38mmx 38mm
- ⑤ — Hydroswell BF 36/52
- ⑥ — Hydroswell BentoSteel
- Concrete containing Xypex Admix

03	Drawing template updated	NG	09/02/24	DW	07/03/24
02	BentoSteel note added	NG	04/10/22	AL	04/10/22
01	Change to Legend & title block	NG	23/09/22	AL	27/09/22
Rev	Description	Drawn by	Date	Checked	Date

All dimensions are in millimetres, unless stated. All dimensions to be checked on site prior to commencement of any work. Copyright protected - no part of this drawing maybe reproduced without prior consent of SMR Projects Ltd.

w. [www.smrxyper.co.uk](http://www.smrxyper.co.uk)  
e. [info@smrxyper.co.uk](mailto:info@smrxyper.co.uk)  
t. 01295 279747

**Hydroswell XYPEX**

SMR House, Beaumont Close, Banbury, Oxfordshire, OX161TG

Project Name:  
**Typical Xypex - BentoGuard Detail**

Drawing Title:  
**Lift Pit in Pile Cap or Thick Core - Option 2**

Project Number: - Date: 11/03/22

Drawing Number: XH114 Rev: 03

Drawn: NG	Checked: AL	Approved: AL	Scale: NTS	ISO A4 297 x 210mm
-----------	-------------	--------------	------------	-----------------------